Bibliography of <u>all</u> menthol publications received from the public from September 1 through October 31, 2010

Most of the publications received were already included in Tables 1.1 and 1.2.

New publications, not included on Table 1.1 or 1.2, are boxed, and in bold purple font.

Ahijevych, K. and B.E. Barrett, *Menthol pharmacology and its potential impact on cigarette smoking behavior*. Nicotine & Tobacco Research., 2004. **6**(Supplement 1): p. S17-S28.

Ahijevych, K., et al., *Menthol and nonmenthol cigarettes and smoke exposure in black and white women.* Pharmacology, Biochemistry and Behavior., 1996. **53**(2): p. 355-360.

Ahijevych, K. and L.A. Parsley, *Smoke constituent exposure and stage of change in black and white women cigarette smokers*. Addictive Behaviors., 1999. **24**(1): p. 115-120.

Alarie Y, Schaper M, Nielsen GD, et al. Structure-activity relationships of volatile organic chemicals as sensory irritants. Arch Toxicol 1998;72(3):125-40.

Assunta M, Chapman S. A "clean cigarette" for a clean nation: a case study of Salem Pianissimo in Japan. Tob Control 2004 13: ii58-ii62. doi:10.1136/tc.2004.008680

Allen, B., Jr. and J.B. Unger, *Sociocultural correlates of menthol cigarette smoking among adult African Americans in Los Angeles*. Nicotine & Tobacco Research., 2007. **9**(4): p. 447-51.

Ardem Patapoutian, A. Peier, A.M., Story, G.M., Viswanath, V., *ThermoTRP Channels and Beyond: Mechanisms of Temperature Sensation*, Nature Reviews, Neuroscience, Volume 4, July, 2003

Benowitz, N.L., B. Herrera, and P. Jacob, III, *Mentholated cigarette smoking inhibits nicotine metabolism*. Journal of Pharmacology and Experimental Therapeutics., 2004. **310**(3): p. 1208-1215.

Berg, C.J., et al., *Predictors of smoking reduction among Blacks. Nicotine & Tobacco Research.*, 2010. Article in Press.

Berg, J.Z., et al., *Nicotine metabolism in African Americans and European Americans: variation in glucuronidation by ethnicity and UGT2B10 haplotype*. Journal of Pharmacology and Experimental Therapeutics., 2010. **332**(1): p. 202-209.

Brooks, D.R., et al., *Menthol cigarettes and risk of lung cancer*. American Journal of Epidemiology, 2003. **158**(7): p. 609-616.

Businelle, M.S., et al., *Light versus heavy smoking among African American men and women.* Addictive Behaviors., 2009. 34(2): p. 197-203.

Caraballo, R.S., et al., *Racial and ethnic differences in serum cotinine levels of cigarette smokers*. Third National Health and Nutrition Examination Survey, 1988-1991. Journal of the American Medical Association., 1998. **280**(2): p. 135-139.

Carpenter, C.L., et al., Mentholated cigarette smoking and lung-cancer risk. *Annals of Epidemiology*, 1999. **9**(1): p. 114-120.

Caskey, N.H., et al., *Rapid smoking of menthol and nonmenthol cigarettes by black and white smokers.* Pharmacology, Biochemistry and Behavior., 1993. **46**(2): p. 259-263.

Castro, F.G., *Physiological, psychological, social, and cultural influences on the use of menthol cigarettes among Blacks and Hispanics*. Nicotine & Tobacco Research., 2004. **6**(Supplement 1): p. S29-S41.

Clark, P.I., S. Gautam, and L.W. Gerson, *Effect of menthol cigarettes on biochemical markers of smoke exposure among black and white smokers*. Chest., 1996. **110**(5): p. 1194-1198.

Collins, C.C. and E.T. Moolchan, *Shorter time to first cigarette of the day in menthol adolescent cigarette smokers*. Addictive Behaviors., 2005. **31**(8): p. 1460-1464.

Cowart, B.J., Development of Taste Perception in Humans: *Sensitivity and Preference Throughout the Life Span*, Psychological Bulletin, (1981) Vol. 90, No. 1, 43-73.

Cropsey, K.L., et al., *Differential success rates in racial groups: results of a clinical trial of smoking cessation among female prisoners.* Nicotine & Tobacco Research., 2009. **11**(6): p. 690-7.

DiFranza, J.R., et al., *Recollections and repercussions of the first inhaled cigarette*. Addictive Behaviors., 2004. **29**(2): p. 261-72.

Etzel, C.J., et al., *Development and validation of a lung cancer risk prediction model for African-Americans.* Cancer Prevention Research., 2008. **1**(4): p. 255-265.

Fagerström, K.O., Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. Addictive Behaviors., 1978. **3**(3-4): p. 235-41.

Foulds J, Pletcher M, Hooper M, Okuyemi K. Do smokers of menthol cigarettes find it harder to quit smoking? Nicotine and Tobacco Research (in press).

Foulds J, Williams JM, Gandhi KK. *Racial differences in lung cancer*. New England Journal of Medicine 2006; 354; 18: 1952 (let.)

Friedman, G.D., et al., *Mentholated cigarettes and non-lung smoking related cancers in California, USA*. Journal of Epidemiology and Community Health., 1998. **52**(3): p. 202.

Fu, S.S., et al., *Menthol cigarettes and smoking cessation during an aided quit attempt.* Nicotine & Tobacco Research., 2008. **10**(3): p. 457-62.

Gandhi KK, Foulds J, Steinberg MB, Lu SE, Williams J. *Lower quit rates among menthol cigarette smokers at a tobacco treatment clinic*. International Journal of Clinical Practice 2009 ar;63(3):360-7.

Gardiner, P.S. and P.I. Clark, Summary of the second conference on menthol cigarettes: "Menthol in cigarettes: It helps the poison go down easier". A report to the Food and Drug Administration. 2009.

Green G, Mason JR, Kare MR. *Chemical Senses*, Volume 2. Irritation. New York: Marcel Dekker, 1990.

Gundersen, D.A., C.D. Delnevo, and O. Wackowski, *Exploring the relationship between race/ethnicity, menthol smoking, and cessation, in a nationally representative sample of adults.* Preventive Medicine., 2009. **49**(6): p. 553-557.

Harris, K.J., et al., *Predictors of smoking cessation among African-Americansenrolled in a randomized controlled trial of bupropion.* Preventive Medicine., 2004. **38**(4): p. 498-502.

Heck, J.D., A review and assessment of menthol employed as a cigarette flavoring ingredient. Food and Chemical Toxicology., 2010. **48**(Supplement 1): p. S1-S38.

Heck, J.D., Smokers of menthol and nonmenthol cigarettes exhibit similar levels of biomarkers of smoke exposure. Cancer Epidemiology, Biomarkers & Prevention., 2009. **18**(2): p. 622-629.

Hebert, J.R. and G.C. Kabat, *Menthol cigarette smoking and oesophageal cancer*. International Journal of Epidemiology., 1989. **18**(1): p. 37-44.

Hersey, J.C., Ng, S.W., Nonnemaker, J.M., Mowery, P., Thomas, K.Y., Vilsaint, M., Allen, J.A., Haviland, M.L., *Are menthol cigarettes a starter product for youth?* Nicotine & Tobacco Research Volume 8, Number 3 (June 2006) 403–413.

Ho, M.K., et al., *Utility and relationships of biomarkers of smoking in African-American light smokers*. Cancer Epidemiology, Biomarkers & Prevention., 2009. **18**(12): p. 3426-34.

Hyland, A., et al., *Mentholated cigarettes and smoking cessation: findings from COMMIT*. Tobacco Control., 2002. **11**(2): p. 135-139.

Jarvik, M.E., et al., *Mentholated cigarettes decrease puff volume of smoke and increase carbon monoxide absorption*. Physiology and Behavior., 1994. **45**(3): p. 563-570.

Jenkins, R.W., R.H. Newman, and M.K. Chavis, *Cigarette smoke formation studies. II.* Smoke distribution and mainstream pyrolytic composition of added 14Cmenthol(U). Beiträge zur Tabakforschung International., 1970. **5**(6): p. 299-301.

Kabat, G.C. and J.R. Hébert, *Use of mentholated cigarettes and oropharyngeal cancer*. Epidemiology., 1994. **5**(2): p. 183-188.

Kabat, G.C. and J.R. Hebert, *Use of mentholated cigarettes and lung cancer risk*. Cancer Research, 1991. **51**(24): p. 6510-6513.

Kreslake, J.M., G.F. Wayne, and G.N. Connolly, *The menthol smoker:Tobacco industry research on consumer sensory perception of menthol cigarettes and its role in smoking behavior.* Nicotine & Tobacco Research., 2008. **10**(4): p. 705-715.

Luhmann, C.C., *Temporal decision-making: insights from cognitive neuroscience*, Frontiers in Behavioral Neuroscience (2009).

MacDougall, J.M., Fandrick, K., Zhang, Z., Serafin, S.V. Cashman, J.R., *Inhibition of Human Liver Microsomal (S)-Nicotine Oxidation by (-)-Menthol and Analogues*, Chem. Res. Toxicol. 2003, 16, 88-993.

McCarthy, W.J., et al., *Menthol vs nonmenthol cigarettes: effects on smoking behavior*. American Journal of Public Health., 1995. **85**(1): p. 67-72.

McCleron, F.J., Westman, E.C., Rose, J.E., Lutz, A.M., *The effects of food, beverages, and other factors on cigarette palatability*, Nicotine & tobacco Research, Vol. 9, number 4 (April 2007) 505-510.

McKemy, D.D., Neuhausser, W.M. & David Julius, *Identification of a Cold Receptor reveals a general role for TRP channels in thermosensation*, Macmillan Magazines Ltd NATURE, VOL 416, 7 MARCH 2002.

Miller, G.E., et al., *Cigarette mentholation increases smokers' exhaled carbon monoxide levels*. Experimental and Clinical Psychopharmacology., 1994. **2**(2): p. 154-160.

Murray, R.P., et al., *Menthol cigarettes and health risks in Lung Health Study data*. Nicotine & Tobacco Research., 2007. **9**(1): p. 101-7.

Muscat, J.E., J.P. Richie, and S.D. Stellman, *Mentholated cigarettes and smoking habits in whites and blacks*. Tobacco Control., 2002. **11**(4): p. 368-371.

Muscat, J.E., et al., *Effects of menthol on tobacco smoke exposure, nicotine dependence, and NNAL glucuronidation*. Cancer Epidemiology, Biomarkers & Prevention., 2009. **18**(1): p. 35-41.

Mustonen, T.K., et al., *The influence of gender, race, and menthol content on tobacco exposure measures.* Nicotine & Tobacco Research., 2005. **7**(4): p. 581-90.

Naqvi, N.H., Rudraf, D., Damasio, H., Bechara, A., *Damage to the Insula Disrupts Addiction to Cigarette Smoking*, Science Vol 315: (26 January 2007).

Naqvi, N., Shiv, B., Bechara, A., *The Role of Emotion in Decision Making, Current Directions in Psychological Science*, Vol. 15, No. 5, (2006).

Nil, R. and K. Bättig, Separate effects of cigarette smoke yield and smoke taste on smoking behavior. Psychopharmacology., 1989. **99**(1): p. 54-9.

Nishino, T., Tagaito, Y, Sakurai, Y., (Department of Anesthesiology, School of Medicine, Chiba University) *Nasal Inhalation of l-menthol Reduces Respiratory Discomfort Associated with Loaded Breathing*, Am J Respir Crit Care Med 1997;156:309–313.

O'Connor, R.J., et al., *Comparing smoking behaviors and exposures from flavored and unflavored cigarettes*. Addictive Behaviors., 2007. **32**(4): p. 869-874.

Okuyemi, K.S., et al., *Does menthol attenuate the effect of buproprion among African American smokers?* Addiction., 2003. **98**(10): p. 1387-1393.

Okuyemi, K.S., et al., *African-American menthol and nonmenthol smokers: differences in smoking and cessation experiences. Journal of the National Medical Association.*, 2004. **96**(9): p. 1208-1211.

Okuyemi, K.S., et al., Relationship between menthol cigarettes and smoking cessation among African American light smokers. Addiction., 2007. **102**(12): p. 1979-86.

Okuyemi, K.S., et al., *Nicotine dependence among African American light smokers: A comparison of three scales.* Addictive Behaviors., 2007. **32**(10): p. 1989-2002.

Parikh, V., & Ai Ping Lee-Lim & Bruce P. Halpern, *Retronasal and Oral-avity-Only Identifications of Air-Phase Trigeminal Stimuli*, Chem. Percept. (2009) 2:9–24.

Pérez-Stable, E., et al., *Nicotine metabolism and intake in black and white smokers*. Journal of the American Medical Association, 1998. **280**(2): p. 152-156.

Pickworth, W.B., et al., Sensory and physiologic effects of menthol and nonmenthol cigarettes with differing nicotine delivery. Pharmacology, Biochemistry and Behavior., 2002. **71**(1-2): p. 55-61.

Andrea M. Peier, Aziz Moqrich, Anne C. Hergarden, 1 Alison J. Reeve, Taryn J. Earley, Ilaria Dragoni, 3 Peter McIntyre, Stuart Bevan, and Ardem Patapoutian Cell, *TRP Channel that Senses Cold Stimuli and Menthol*, Vol. 108, 705–715, March 8, 2002, Copyright, 2002 by Cell PressA

Pletcher, M.J., et al., *Menthol cigarettes, smoking cessation, atherosclerosis, and pulmonary function: the Coronary Artery Risk Development in Young Adults (CARDIA) Study.* Archives of Internal Medicine., 2006. **166**(17): p. 1915-22.

Pritchard, W.S., et al., *Little evidence that "denicotinized" menthol cigarettes have pharmacological effects: an EEG/heart-rate/subjective-response study.* Psychopharmacology., 1999. **143**(3): p. 273-279.

Richie, J., Jr, et al., *Differences in the urinary metabolites of the tobacco specific lung carcinogen 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone in black and white smokers*. Cancer Epidemiology, Biomarkers & Prevention., 1997. **6**(10): p. 783-790.

Schafer, K., Braun, H.A., and C. Isenberg, *Effect of Menthol on Cold Receptor Activity, Analysis of Receptor Processes*, From the Institute Zoophysiologie, Universidt Hohenheim, 7000 Stuttgart 70, and the Institute for Physiologie, Universitat Marburg, 5550 Marburg, Federal Republic of Germany.

Schaper M. (1993) *Development* of a *database* for *sensory irritants* and its use in establishing occupational exposure limits. Am Ind Hyg Assoc J; 54: 488–544.

Shankar, M., Levitan, C., Prescott, J., Spence, C., *The Influence of Color and label Information on Flavor Perception*, Chemosensory Perception, (2009).

Sidney, S., et al., *Mentholated cigarette use and lung cancer*. *Archives of Internal Medicine*, 1995. **155**(7): p. 727-732.

Signorello, L.B., et al., *Racial differences in serum cotinine levels of smokers*. Disease Markers., 2009. **27**(5): p. 187-92.

Small, D.M., Jones OGotman, M.J., Zatorre, R.J., Petrides, M., Evans, A.C., *A Role for the Right Anterior Temporal Lobe in Taste Quality Recognition*, The Journal of Neuroscience, Vol., 17, Number 13 (July 1, 1997) pp 5136-5142.

St. Charles, F.K., G.R. Krautter, and D.C. Mariner, *Post-puff respiration measures on smokers of different tar yield cigarettes.* Inhalation Toxicology., 2009. **21**(8): p. 712-718.

Stellman, S.D., et al., *Lung cancer risk in white and black Americans*. Annals of Epidemiology, 2003. **13**: p. 294-302.

Trade Literature: *Tobacco – Japan*. Euromonitor International – Country Market Insight, October, 2009.

U.S. Department of Health and Human Services, *Tobacco use among U.S. racial / ethnic minority groups - African Americans, American Indians and Alaska Natives, Asian Americans and Pacific Islanders, and Hispanics: a report of the Surgeon General. 1998*, U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.: Atlanta, GA.

Wackowski, O. and C.D. Delnevo, *Menthol cigarettes and indicators of tobacco dependence among adolescents*. Addictive Behaviors, 2007. **32**(9): p. 1964-1969.

Walker, J.C., Kendal-Reed, M., Keiger, C.J., Bencherif, M. Silver, W.L., *Olfactory and Trigeminal Responses to Nicotine*, Drug Development Research 38: 160-168 (1996) Wiley-Liss, Inc.

Wang, J., et al., *The effect of menthol containing cigarettes on adult smokers' exposure to nicotine and carbon monoxide*. Regulatory Toxicology and Pharmacology, 2010. 57:24–30.

Werley, M.S., C.R.E. Coggins, and P.N. Lee, *Possible effects on smokers of cigarette mentholation:* A review of the evidence relating to key research questions. Regulatory Toxicology and Pharmacology., 2007. **47**(2): p. 189-203.

Williams JM, Gandhi KK, Steinberg ML, Foulds J, Ziedonis DM, Benowitz NL. *Higher nicotine and carbon monoxide levels in menthol cigarette smokers with and without schizophrenia*. Nicotine Tob Res. 2007 Aug;9(8):873-81.